

Work Order ID 141070

Tuesday, January 26, 2016 3:20:25 PM

141070

Page 1

Item ID: D2938-2BL

Accept

N900040100

Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Saddle RH Out, 206

Start Date: 1/26/2016 Start Qty: 4.00

Required Date: 1/26/2016 Req'd Qty: 4.00

Cust Item ID:

Customer:

Reference:

Approvals: Process Plan: ML3 Date: JAN 29 2016 Tooling: _____ Date: _____

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D2938	Rev C

100	HAAS CNC VERTICAL MACHINING #1	0.00	B.A	16/03/08		10	0		DAS 08 9-89
-----	--------------------------------	------	-----	----------	--	----	---	--	-------------------

100

HAAS 1

HAAS CNC vertical machine #1

Memo

Program part number and batch number.1-Inspect part number and batch number are programmed correctly.2-Machine Step No 1 of Folio and visually inspect as per dwg D2938 & attached Dimension Sheet 3-Machine Step No 2 of Folio and visually inspect as per

110	CONVENTIONAL MILLING MACHINE	0.00	B.A	16/03/08		10	0		DAS 08 9-89
-----	------------------------------	------	-----	----------	--	----	---	--	-------------------

110

Mill Conv

Conventional Milling Machine

Memo

Machine Keyway and inspect per attached dimension sheet

120	QC1- Inspection performed by CMM	0.00	B.A	16/03/08		10	0		DAS 08 9-89
-----	----------------------------------	------	-----	----------	--	----	---	--	-------------------

120

QC

Quality Control

Memo

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐				
Date :	Step #:	QTY Effective :			MRB (QS1042) Approval	
Description Work Order Deviation		Disposition				
					Completed By	
					Lead hand / Supervisor Approval Verification	
					QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐				
OTHER : ☐						

Work Order ID 141070***141070***

Page 2

Tuesday, January 26, 2016 3:20:25 PM

Item ID: D2938-2BL Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: Saddle RH Out, 206
Start Date: 1/26/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 1/26/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC8- Inspect parts - second check	0.00				10	0		DAS 20 9-89 16-03-09
130									
QC	Memo	0.00							
Quality Control									
140	Chemical Conversion Coat per QSI005 4.1	0.00							
140									
HandFinish	Memo	0.00							
Hand Finishing									
150	Spray Painting per QSI005 4.2	0.00							
150									
SprayPaint	Memo	0.00							
Spray Painting	***MASK ALL HOLES AS PER PAR16-484***								

SPRAY PAINT BLUE
BATCH: _____Prime 134188
Paint 134120
clear 133154DAS
41
9-89
16-3-9

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Work Order ID 141070

Tuesday, January 26, 2016 3:20:25 PM

141070

Page 3

Item ID: D2938-2BL

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Saddle RH Out, 206

Start Date: 1/26/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 1/26/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	QC14- Inspect Spray Paint	0.00							DAS 38 9-89
160									
QC	Memo	0.00							
Quality Control									MAR 10 2016
170	Identify as per dwg & Stock Location: <u>St 390</u>	0.00							DAS 6 9-89
170									
Packaging	Memo	0.00							
Packaging									MAR 08 2016
180	QC21- Final Inspection - Work Order Release	0.00							
180									
QC	Memo	0.01							
Quality Control									MAR 10 2016

MCS MAR 10 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Picklist Print

Tuesday, January 26, 2016 3:20:25 PM

Page 1

Work Order ID: 141070

141070

Parent Item: D2938-2BL

***D2938-2BL ***

Parent Item Name: Saddle RH Out, 206

Start Date: 1/26/2016

Required Date: 1/26/2016

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP: B 00.06.26 New DWG rev (mpp 2069)EC

IPP Rev:C As per Rev C 07-03-19 JLM

IPP REV:D

15.10.09 ADDED BL DD VERF:JLM

IPP REV:E 16.01.22

PAR16-484 DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

D6101-003

Manufactured

No

100

Each

76.0000

1

4

D6101-003

Saddle Billet, 7075

*******M.P.*
*16/23/06*LocationLoc QtyLoc Code

MAT045

56

134038

8

135957

28

136764

20

MAT046

20

138991

20

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐						
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval			
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Root Cause		FAULT CATEGORY								
Environment ☐	☐	No Re-verification	☐	Pressure/Forced	☐	Temperature/Cure	☐	Power Loss/Surge	☐	Positioned Wrong
Design ☐	☐	Operator	☐	Bending	☐	Set-up	☐	Folio/Program	☐	Outside Dimensions
Doc/Data ☐	☐	Offset/Setup	☐	Centre Not Concentric	☐	BOM/Route	☐	Grain	☐	Over/Under tolerance
Equip/Tooling ☐	☐	Supplier	☐	Cracks	☐	Broken/Damage/Defect	☐	Weld	☐	Part Incorrect
Handling/Pre ☐	☐	Training	☐	Crimp/Kink/Ripple/Wave	☐	Inspection Incomplete/Unqualified	☐	Wrong Stock Pulled	☐	Part Lost/Missing
Material ☐	☐	Use for Testing	☐	Cuffs	☐	Contamination	☐	Out of Sequence	☐	Part Moved
Internal Transport ☐	☐	Poor Information	☐	Crushing	☐	Countersink	☐	Off-set	☐	Drawing
Tribal Knowledge ☐	☐	Rushing	☐	Heat Treat	☐	Cut Too Short	☐	Mislabeled	☐	Finish
LOA ☐	☐	Product Improvement	☐	Wave/Twist in Tube	☐	Instructions Incomplete/Unclear	☐	Fit/Function	☐	Misread
Substation ☐	☐	Process Improvement	☐	Marks/Chatter	☐	Drill Holes	☐	Misaligned/off center	☐	Turning Sequence
Past Expiry Date ☐	☐	Manufacturing Process	OTHER :							
Misidentified ☐	☐	Past Due								

DART AEROSPACE LTD	Work Order: 141070
Description: 206 Saddle, Outboard, Right side	Part Number: D2938-2
Inspection Dwg: D2938 Rev. C	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	By	Date
A	0.100	0.140		0.116	0.115	0.116	0.116		
B	0.100	0.140		0.117	0.118	0.118	0.117		
C	0.100	0.140		0.117	0.117	0.117	0.117		
D	0.210	0.230		0.219	0.219	0.220	0.218		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		0.512	0.512	0.512	0.512		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		0.258	0.258	0.258	0.258		
L	0.312	0.317		0.316	0.314	0.314	0.314		
M	0.235	0.240		0.237	0.237	0.237	0.237		
N	0.100	0.140		0.119	0.114	0.120	0.118		
O	0.540	0.560		0.548	0.548	0.548	0.548		
P	0.490	0.510		0.500	0.500	0.500	0.500		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.720	2.760		2.740	2.740	2.740	2.740		
S	0.240	0.270		0.255	0.255	0.255	0.255		
T	0.100	0.180		0.130	0.130	0.130	0.130		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		0.316	0.316	0.316	0.316		
X	1.250	1.270		1.261	1.261	1.2615	1.261		
Y	1.565	1.585		1.575	1.575	1.575	1.575		
Z	0.178	0.198		0.188	0.188	0.188	0.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by: <u>AS</u>	DAS	Audited by: <u>20</u>	DAS
Date: <u>16/03/08</u>	08	Date: <u>16-03-09</u>	08
	9-89		

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

DART AEROSPACE LTD	Work Order: 141070
Description: 206 Saddle, Outboard, Right side	Part Number: D2938-2
Inspection Dwg: D2938 Rev. C	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	#5	#6	#7	#8	By	Date
A	0.100	0.140		0.116	0.115	0.115	0.116		
B	0.100	0.140		0.117	0.118	0.117	0.117		
C	0.100	0.140		0.117	0.117	0.117	0.118		
D	0.210	0.230		0.219	0.216	0.218	0.218		
E	1.245	1.255		1.250	1.250	1.250	1.250		
F	1.245	1.255		1.250	1.250	1.250	1.250		
G	2.495	2.505		2.500	2.500	2.500	2.500		
H	0.510	0.515		0.512	0.522	0.512	0.512		
I	1.572	1.582		1.577	1.577	1.577	1.577		
J	2.495	2.505		2.500	2.500	2.500	2.500		
K	0.257	0.262		0.258	0.258	0.258	0.258		
L	0.312	0.317		0.314	0.314	0.314	0.314		
M	0.235	0.240		0.237	0.237	0.237	0.237		
N	0.100	0.140		0.119	0.116	0.118	0.118		
O	0.540	0.560		0.548	0.548	0.548	0.548		
P	0.490	0.510		0.500	0.500	0.500	0.500		
Q	3.715	3.725		3.720	3.720	3.720	3.720		
R	2.720	2.760		2.740	2.740	2.740	2.740		
S	0.240	0.270		0.255	0.255	0.255	0.255		
T	0.100	0.180		0.130	0.130	0.130	0.130		
U	1.625	1.635		1.630	1.630	1.630	1.630		
V	1.362	1.372		1.367	1.367	1.367	1.367		
W	0.316	0.321		0.316	0.316	0.316	0.316		
X	1.250	1.270		1.261	1.261	1.261	1.261		
Y	1.565	1.585		1.575	1.575	1.575	1.575		
Z	0.178	0.198		0.188	0.188	0.188	0.188		
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject							DAS		

Measured by: B.A.	DAS
Date: 16/03/08	08

Audited by: 20	9-89
Date: 16-03-09	

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

DART AEROSPACE LTD	Work Order: 14107e
Description: 206 Saddle, Outboard, Right side	Part Number: D2938-2
Inspection Dwg: D2938 Rev. C	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2938 Rev. C and record below:

				Recorded Actual Dimensions					
Dim	Min	Max	Go/No Go Gauge	19	210	X	X	By	Date
A	0.100	0.140		0.115	0.115				
B	0.100	0.140		0.117	0.127				
C	0.100	0.140		0.117	0.117				
D	0.210	0.230		0.218	0.218				
E	1.245	1.255		1.250	1.250				
F	1.245	1.255		1.250	1.250				
G	2.495	2.505		2.500	2.500				
H	0.510	0.515		0.512	0.512				
I	1.572	1.582		1.577	1.577				
J	2.495	2.505		2.500	2.500				
K	0.257	0.262		0.258	0.258				
L	0.312	0.317		0.314	0.314				
M	0.235	0.240		0.237	0.237				
N	0.100	0.140		0.118	0.118				
O	0.540	0.560		0.548	0.548				
P	0.490	0.510		0.500	0.500				
Q	3.715	3.725		3.720	3.720				
R	2.720	2.760		2.740	2.740				
S	0.240	0.270		0.255	0.255				
T	0.100	0.180		0.130	0.130				
U	1.625	1.635		1.630	1.630				
V	1.362	1.372		1.367	1.367				
W	0.316	0.321		0.316	0.316				
X	1.250	1.270		1.261	1.261				
Y	1.565	1.585		1.575	1.575				
Z	0.178	0.198		0.188	0.188				
AA									
AB									
AC									
AD									
AE									
AF									
AG									
AH									
Accept/Reject									

Measured by: B. A.	DAS	Audited by: 20	DAS
Date: 16/03/08	08	Date: 16-03-09	9-89

Rev	Date	Change	Revised by	Approved
A		New Issue	RF	
B	02.12.12	Reformat; Added Dim. X-Y, DT8683, DT8686, DT8690	KJ/RF	
C	07.03.21	Revised per drawing revision C	KJ/JLM	

